

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(print\$4 same (( calibrat\$ with (measur\$5 or evaluat \$4 or test)) same ((longer or extend\$4 or variable or different or increas\$4) with (tim \$3 or period\$2 or interval))))).clm.	US-PGPUB; USPAT	OR	OFF	2008/10/08 16:00
S2	7	((HOLGER) near2 (SCHUPPAN)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/28 12:10
S3	228	((steven) near2 (harrington)).INV.	US-PGPUB; USPAT	OR	OFF	2008/02/28 13:20
S4	23	S3 and (color near2 calibration)	US-PGPUB; USPAT	OR	OFF	2008/02/28 13:23
S7	3	"358"/.clas. and (color near2 calibration) same spectro\$7	US-PGPUB; USPAT	OR	OFF	2008/02/28 13:24
S8	63	"358"/.clas. and (color near2 calibration) same profile	US-PGPUB; USPAT	OR	OFF	2008/02/28 14:19
S10	32	((color near2 calibration) same (lattice or grid or array or space or gamut)) same profile	US-PGPUB; USPAT	OR	OFF	2008/02/28 14:48
S13	12	(US-20060196378-\$ or US-20020180996-\$ or US-20020176103-\$ or US-20020083859-\$). did. or (US-7280251-\$ or US-6972867-\$ or US-6650438-\$ or US-6615729-\$ or US-6522427-\$ or US-6501850-\$ or US-6141120-\$ or US-6178007-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 15:25
S14	3	S13 and (spectro\$ same profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 15:26

S15	2	("5416613").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 16:58
S16	2	("7092119").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/28 16:59
S17	1	"20060196378"	US-PGPUB; USPAT	OR	OFF	2008/03/03 12:09
S18	139	"358"/.clas. and (profile or colorimetric) same (extended or history or compilation)	US-PGPUB; USPAT	OR	OFF	2008/03/03 13:36
S19	1	"358"/.clas. and (color near2 calibration) same logarith\$4	US-PGPUB; USPAT	OR	OFF	2008/03/03 15:31
S25	7	printer same (color same calibration same logarith\$4 )	US-PGPUB; USPAT	OR	OFF	2008/03/03 15:36
S26	119	printer same (color same calibration same profile )	US-PGPUB; USPAT	OR	OFF	2008/03/03 15:39
S27	65	printer same (color same calibration same proof)	US-PGPUB; USPAT	OR	OFF	2008/03/03 16:16
S29	4	printer same (colour same calibration same profile )	US-PGPUB; USPAT	OR	OFF	2008/03/03 16:20
S30	17	scan\$4 same (color same calibration same logarith\$4 )	US-PGPUB; USPAT	OR	OFF	2008/03/04 14:03
S31	10	((color near2 calibration) same (lattice or grid or array or space or gamut)) same profile) and (time near9 (measur\$4 or sampl\$4 or resamp \$4))	US-PGPUB; USPAT	OR	OFF	2008/03/17 15:24
S32	29	((color near2 calibration) same profile) and (time near9 (measur\$4 or sampl\$4 or resamp \$4))	US-PGPUB; USPAT	OR	OFF	2008/03/17 15:25

S33	18	(US-20060196378-\$ or US-20020180996-\$ or US-20020154325-\$ or US-20020051235-\$). did. or (US-6615729-\$ or US-6522427-\$ or US-6141120-\$ or US-6178007-\$ or US-5416613-\$ or US-5710871-\$ or US-6972867-\$ or US-6761426-\$ or US-6671067-\$ or US-6585340-\$ or US-6480299-\$ or US-6473199-\$ or US-5760913-\$ or US-5612902-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2008/03/18 08:06
S34	17	S33 and (time or extended or matur\$5)	US-PGPUB; USPAT	ADJ	OFF	2008/03/18 08:07
S35	6	S33 and (extended or matur\$5)	US-PGPUB; USPAT	ADJ	OFF	2008/03/18 08:08
S36	1	"358"/.clas. and (color near2 calibration) same (multiple or extended or var\$3) near5 profile	US-PGPUB; USPAT	OR	OFF	2008/03/18 10:21
S37	74	"358"/.clas. and (color same (multiple or extended or var\$3) near5 profile)	US-PGPUB; USPAT	OR	OFF	2008/03/18 10:23
S38	6	09/149906	US-PGPUB; USPAT	OR	OFF	2008/03/18 10:30
S46	20	"358"/.clas. and ((matur\$5 or aged or aging) same profile)	US-PGPUB; USPAT	ADJ	OFF	2008/03/18 10:54
S47	8	((HOLGER) near2 (SCHUPPAN)).INV.	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S48	238	((steven) near2 (harrington)).INV.	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S49	24	S48 and (color near2 calibration)	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S50	3	"358"/.clas. and (color near2 calibration) same spectro\$7	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S51	69	"358"/.clas. and (color near2 calibration) same profile	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15

S52	36	((color near2 calibration) same (lattice or grid or array or space or gamut)) same profile	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S53	12	(US-20060196378-\$ or US-20020180996-\$ or US-20020176103-\$ or US-20020083859-\$). did. or (US-7280251-\$ or US-6972867-\$ or US-6650438-\$ or US-6615729-\$ or US-6522427-\$ or US-6501850-\$ or US-6141120-\$ or US-6178007-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S54	3	S53 and (spectro\$ same profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 15:15
S55	2	("5416613").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 15:15
S56	2	("7092119").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 15:15
S57	1	"20060196378"	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S58	152	"358"/.clas. and (profile or colorimetric) same (extended or history or compilation)	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S59	1	"358"/.clas. and (color near2 calibration) same logarith\$4	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S60	7	printer same (color same calibration same logarith\$4 )	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S61	133	printer same (color same calibration same profile )	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15

S62	69	printer same (color same calibration same proof)	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S63	5	printer same (colour same calibration same profile )	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S64	17	scan\$4 same (color same calibration same logarith\$4 )	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S65	10	((color near2 calibration) same (lattice or grid or array or space or gamut)) same profile) and (time near9 (measur\$4 or sampl\$4 or resamp \$4))	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S66	32	((color near2 calibration) same profile) and (time near9 (measur\$4 or sampl\$4 or resamp \$4))	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S67	18	(US-20060196378-\$ or US-20020180996-\$ or US-20020154325-\$ or US-20020051235-\$). did. or (US-6615729-\$ or US-6522427-\$ or US-6141120-\$ or US-6178007-\$ or US-5416613-\$ or US-5710871-\$ or US-6972867-\$ or US-6761426-\$ or US-6671067-\$ or US-6585340-\$ or US-6480299-\$ or US-6473199-\$ or US-5760913-\$ or US-5612902-\$).did.	US-PGPUB; USPAT	ADJ	OFF	2008/10/02 15:15
S68	17	S67 and (time or extended or matur\$5)	US-PGPUB; USPAT	ADJ	OFF	2008/10/02 15:15
S69	6	S67 and (extended or matur\$5)	US-PGPUB; USPAT	ADJ	OFF	2008/10/02 15:15
S70	1	"358"/.clas. and (color near2 calibration) same (multiple or extended or var\$3) near5 profile	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15

S71	79	"358"/.clas. and (color same (multiple or extended or var\$3) near5 profile)	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S72	6	09/149906	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:15
S73	23	"358"/.clas. and ((matur\$5 or aged or aging) same profile)	US-PGPUB; USPAT	ADJ	OFF	2008/10/02 15:15
S74	2	("6280105").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 15:20
S75	31858	(calibrat\$ with (measur\$5 or evaluat\$4 or test)) same (tim\$3 or period\$2 or interval)	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:30
S76	363	"358".clas. and ((calibrat\$ with (measur\$5 or evaluat\$4 or test)) same (tim\$3 or period\$2 or interval))	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:30
S77	54	"358".clas. and ((calibrat\$ with (measur\$5 or evaluat\$4 or test)) same ((longer or extend\$4 or variable or different or increas\$4) with (tim\$3 or period\$2 or interval)))	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:35
S80	139	print\$4 same (( calibrat\$ with (measur\$5 or evaluat\$4 or test)) same ((longer or extend\$4 or variable or different or increas\$4) with (tim\$3 or period\$2 or interval)))	US-PGPUB; USPAT	OR	OFF	2008/10/03 10:35

10/ 8/ 2008 4:03:13 PM

C:\ Documents and Settings\ bsquibb\ My Documents\ EAST\ Workspaces\ 10511179.wsp